Name:		Date:		HURBAN HASSEMBLY
<b>Chemistry</b> ~ Ms. Hart	Class:	Anions or	Cations	SCHOOL FOR CRIMINAL II IS TICE

STATION 7: Electron Configuration

#### **Key Points:**

- The electron configuration of an atom tells us how many electrons exist on each energy level of the atom. The closer to the nucleus, the lower the energy.
- The first energy level can only hold up to 2 electrons, the second energy level can hold up to 8 electrons and the third energy level can hold up to 18 electrons.
- Electron configurations can be found at the bottom of each element box on the periodic table
- A ground state atom and an excited state atom can be determined by looking at its electron configuration. If the lower electron shells have less than the full amount, the electron is in the excited state. An electron could move to an excited state if the energy is increased (heated for example)
- When an electron moves from the excited state back to the ground state (from the higher energy level to the lower energy level), energy is emitted (released) in the form of light (photons)
- Valence electrons are the electrons that exist on the outer most shell of an atom. They can be represented via a Lewis dot diagram

#### **Questions:**

- 1. Where in the atom do electrons have the lowest energy? Highest energy?
- 2. How do you find the number of valence electrons in an atom?
- 3. Why is the number of valence electrons so important in chemistry?
- 4. How do you excite an electron?
- 5. What is produced when an excited electron comes back to the ground state?
- 6. How do you know the difference

between a ground state electron configuration and an excited state electron configuration?

- 7. How do the energy and the most probable location of an electron in the third shell of an atom compare to the energy and the most probable location of an electron in the first shell of the same atom?
  - (1) In the third shell, an electron has more energy and is closer to the nucleus.
  - (2) In the third shell, an electron has less energy and is closer to the nucleus.
  - (3) In the third shell, an electron has less energy and is farther from the nucleus.
  - (4) In the third shell, an electron has more energy and is farther from the nucleus.

- 8. An atom of oxygen is in an excited state. When an electron in this atom moves from the third shell to the second shell, energy is
  - (1) absorbed by the nucleus
  - (2) absorbed by the electron
  - (3) emitted by the nucleus
  - (4) emitted by the electron
- 9. What is the total number of protons in an atom with the electron configuration 2-8-18-32-18-1?
  - (1) 69
  - (2)118
  - (3) 197
  - (4) 79

	Which electronatom of alumi (1) 2-7-4 (2) 2-7-7 (3) 2-8-6 (4) 2-8-3 An atom in the	num in ar	n excited st	ate?	<ul> <li>17. What is the total number of valence electrons in an atom with the electron configuration 2-7?</li> <li>(1) 1</li> <li>(2) 5</li> <li>(3) 7</li> <li>(4) 9</li> </ul>
11.	total of 5 elect protons. Whice represents this	rons, 5 ne h Lewis e s atom?	eutrons, and lectron-do	d 5 t diagram	<ul><li>18. Which is the electron configuration of a neutral atom in the ground state with a total of six valence electrons?</li><li>(1) 2-4</li></ul>
	•X•	• X •	X• (3)	•X•	(2) 2-6 (3) 2-8
	(1)	(2)	(3)	(4)	(4) 2-8-8
12.	What is represelectron-dot delement in Per (1) the number (2) the number atom	iagram of riod 2 of t er of neuti	an atom o he Periodic cons in the	f an c Table? atom	<ul> <li>19. What is the total number of valence electrons in an atom of boron in the ground state?</li> <li>(1) 1</li> <li>(2) 7</li> <li>(3) 3</li> <li>(4) 5</li> </ul>
10	<ul><li>(3) the total matom</li><li>(4) the number</li></ul>	er of proto	ons in the a	tom	20. When electrons in an atom in an excited state fall to lower energy levels, energy is (1) absorbed, only (2) released, only
13.	Write an electrof aluminum-				<ul><li>(3) neither released nor absorbed</li><li>(4) both released and absorbed</li></ul>
	What is the to electrons in a ground state? (1) 22 (2) 2 (3) 32 (4) 4 An atom of arg	germaniu	m atom in	the	<ul> <li>21. The light emitted from a flame is produced when electrons in an excited state</li> <li>(1) absorb energy as they move to lower energy states</li> <li>(2) absorb energy as they move to higher energy states</li> <li>(3) release energy as they move to lower energy states</li> <li>(4) release energy as they move to higher</li> </ul>
J	of another elections (1) 8 valence (2) 2 electrons (3) 3 electron	ment beca electrons s in the fir shells	nuse an arg		energy states  22. From which of these atoms in the ground state can a valence electron be removed using the least amount of energy?
16.	What is the to electrons in ar configuration	tal numbe n atom wi			<ul><li>(1) nitrogen</li><li>(2) oxygen</li><li>(3) carbon</li><li>(4) chlorine</li></ul>
	(1) 5 (2) 11 (3) 3 (4) 15	٠			<ul> <li>23. Which electron configuration represents an atom of aluminum in an excited state?</li> <li>(1) 2-7-4</li> <li>(2) 2-7-7</li> <li>(3) 2-8-3</li> <li>(4) 2-8-6</li> </ul>

Name:		Date:	HURBAN HASSEMBLY
<b>Chemistry</b> ~ Ms. Hart	Class:	Anions or Cations	SCHOOL FOR CRIMINAL ILJSTICE

### <u>Station Review – Midterm January 2014</u>

## STATION 8: Parts of the Periodic Table

## **Key Points:**

- The periodic table is arranged in order of increasing atomic number
- There are three main classification of elements: metals, non-metals, and metalloids
- A row of the periodic table is called a period and a column is called a group
- Elements within the same group are chemically similar to each other because they have the same number of valence electrons
- Metals are located on the left side of the periodic table
- Nonmetals are on the right side
- The noble gases are in group 18
- Metalloids are along the staircase on the left side of the table.
- Metals are shiny, malleable, good conductors of electricity
- Nonmetals are dull and brittle and do not conduct electricity

#### **Questions:**

- 1. Give three examples of a metal
- 2. Give three examples of a nonmetal
- 3. Give three examples of a metalloid
- 4. What are some differences between a metal and a nonmetal?
- 5. What is so special about the noble gases?
- 6. What is the name of Group 1 metals?
- 7. The elements in the Periodic Table are arranged in order of increasing
  - (1) atomic radius
  - (2) atomic number
  - (3) mass number
  - (4) neutron number
- 8. The elements located in the lower left corner of the Periodic Table are classified as
  - (1) metals
  - (2) nonmetals
  - (3) metalloids
  - (4) noble gases
- 9. Germanium is classified as a
  - (1) Metal
  - (2) Metalloid
  - (3) Nonmetal
  - (4) Noble gas

- 10. Element X is a solid that is brittle, lacks luster, and has six valence electrons. In which group on the Periodic Table would Element X be found?
  - (1) 1
  - (2) 2
  - (3) 15
  - (4) 16
- 11. What are two properties of most nonmetals?
  - (1) high ionization energy and poor electrical conductivity
  - (2) high ionization energy and good electrical conductivity
  - (3) low ionization energy and poor electrical conductivity
  - (4) low ionization energy and good electrical conductivity

12. The data table below shows elements Xx, Yy, and Zz from the same group on the Periodic Table.

Element	Atomic Mass (atomic mass unit)	Atomic Radius (pm)
Xx	69.7	141
Yy	114.8	?
Zz	204.4	171

What is the most likely atomic radius of element Yy?

- (1) 103 pm
- (2) 127 pm
- (3) 166 pm
- (4) 185 pm
- 13. Which element is a liquid at 305 K and 1.0 atmosphere?
  - (1) magnesium
  - (2) fluorine
  - (3) gallium
  - (4) iodine
- 14. Which Group 14 element is classified as a metal?
  - (1) carbon
  - (2) germanium
  - (3) silicon
  - (4) tin
- 15. An element that is malleable and a good conductor of heat and electricity could have an atomic number of
  - (1) 16
  - (2) 18
  - (3)29
  - (4) 35
- 16. At STP, which element is solid, brittle, and a poor conductor of electricity?
  - (1) Al
  - (2) K
  - (3) Ne
  - (4) S
- 17. Which is a property of most nonmetallic solids?
  - (1) high thermal conductivity
  - (2) high electrical conductivity
  - (3) brittleness
  - (4) malleability

- 18. Which element is classified as a noble gas at STP?
  - (1) hydrogen
  - (2) oxygen
  - (3) neon
  - (4) nitrogen
- **20.** Which list of elements consists of metalloids, only?
  - (1) B, Al, Ga
  - (2) C, N, P
  - (3) O, S, Se
  - (4) Si, Ge, As

Two sources of copper are cuprite, which has the IUPAC name copper(I) oxide, and malachite, which has the formula Cu2CO3(OH)2. Copper is used in home wiring and electric motors because it has good electrical conductivity. Other uses of copper not related to its electrical conductivity include coins, plumbing, roofing, and cooking pans. Aluminum is also used for cooking pans.

At room temperature, the electrical conductivity of a copper wire is 1.6 times greater than an aluminum wire with the same length and cross-sectional area. At room temperature, the heat conductivity of copper is 1.8 times greater than the heat conductivity of aluminum. At STP, the density of copper is 3.3 times greater than the density of aluminum.

- 15. Identify one physical property of aluminum that could make it a better choice than copper for a cooking pan.
- 16. Identify one physical property of copper that makes it a good choice for uses that are not related to electrical conductivity.

Name:		Date:	HURBAN HASSEMBLY
<b>Chemistry</b> ~ Ms. Hart	Class:	Anions or Cations	SCHOOL FOR CRIMINAL ILLSTICE

# STATION 9: Trends on the Periodic Table

### **Key Points:**

- Atomic radius is the distance between the nuclei of two atoms of the same elements in the solid state
- Atomic radius increases as we go across a period and decreases as we go down a group
- Electronegativity is an atom's attraction for electrons in a chemical bond
- Ionization energy is the energy required to remove a valence electron from an atom
- Electronegativity and ionization energy increases as we move across a period
- Ionic radius is the radius when an atom gains or loses an electron. If an atom GAINS and electron, the ionic radius will increase. If an atom loses an electron, the ionic radius will decrease.

#### **Questions:**

- 1. What is electronegativity?
- 2. What is ionization energy?
- 3. What is the difference between atomic radius and ionic radius?
- 4. What is the electronegativity of oxygen?
- 5. Atoms of which element have the greatest tendency to gain electrons?
  - (1) bromine
  - (2) chlorine
  - (3) fluorine
  - (4) iodine
- 6. Which statement best describes Group 2 elements as they are considered in order from top to bottom of the Periodic Table?
  - (1) The number of principal energy levels increases, the number of valence electrons increases.
  - (2) The number of principal energy levels increases, the number of valence electrons remains the same.
  - (3) The number of principal energy levels remains the same, and the number of valence electrons increases.
  - (4) The number of principal energy levels remains the same, and the number of valence electrons remains the same.
- 7. Which term indicates how strongly an atom attracts the electrons in a chemical bond?
  - (1) alkalinity
  - (2) atomic mass
  - (3) electronegativity
  - (4) activation energy
- 8. As the elements of Group 17 are considered in order of increasing atomic number, there is an increase in
  - (1) atomic radius
  - (2) electronegativity
  - (3) first ionization energy
  - (4) number of electrons in the first shell
- 9. Which atom has the weakest attraction for the electrons in a bond with an H atom?
  - (1) Cl atom
  - (2) F atom
  - (3) atom
  - (4) S atom

<ul> <li>10. Which general trend is found in Period 3 as the elements are considered in order of increasing atomic number?</li> <li>(1) increasing atomic radius</li> <li>(2) increasing electronegativity</li> <li>(3) decreasing atomic mass</li> <li>(4) decreasing first ionization energy</li> </ul>
<ul><li>11. An atom of which element has the greatest attraction for the electrons in a bond with a hydrogen atom?</li><li>(1) chlorine</li><li>(2) phosphorus</li><li>(3) silicon</li><li>(4) sulfur</li></ul>
<ul> <li>12. The strength of an atom's attraction for the electrons in a chemical bond is the atom's</li> <li>(1) Electronegativity</li> <li>(2) ionization energy</li> <li>(3) heat of reaction</li> <li>(4) heat of formation</li> </ul>
<ul> <li>13. Which element requires the least amount of energy to remove the most loosely held electron from a gaseous atom in the ground state?</li> <li>(1) bromine</li> <li>(2) calcium</li> <li>(3) sodium</li> <li>(4) silver</li> </ul>
<ul> <li>14. Which general trend is found in Period 2 on the Periodic Table as the elements are considered in order of increasing atomic number?</li> <li>(1) decreasing atomic mass</li> <li>(2) decreasing electronegativity</li> <li>(3) increasing atomic radius</li> <li>(4) increasing first ionization energy</li> </ul>
<ul> <li>15. Which of the following Group 2 elements has the lowest first ionization energy?</li> <li>(1) Be</li> <li>(2) Mg</li> <li>(3) Ca</li> <li>(4) Ba</li> </ul>
<ul> <li>16. Based on Reference Table S, which of the following atoms requires the least energy for the removal of the most loosely bound electron?</li> <li>(1) Sn</li> <li>(2) Sr</li> <li>(3) Be</li> <li>(4) Br</li> </ul>
17. As elements of Group 1 of the Periodic Table are considered in order from top to bottom, the ionization energy of each successive element decreases. This decrease is due to  (1) decreasing radius and decreasing shielding effect (2) decreasing radius and increasing shielding effect (3) increasing radius and decreasing shielding effect (4) increasing radius and increasing shielding effect 18. In Period 2 of the Periodic Table, which Group contains the element with the highest first ionization energy? (1) alkali metals (2) alkaline earth metals (3) halogens (4) noble gases

Name:		Date:	HURBAN HASSEMBLY
<b>Chemistry</b> ~ Ms. Hart	<u>Class:</u>	Anions or Cations	SCHOOL FOR CRIMINAL II IS TICE


## STATION 10: Chemical Bonding

# **Key Points:**

- Noble gases are stable because they have eight valence electrons
- Atoms will gain or lose electrons to achieve a full octet
- Full octet = stability
- · Ions are charged atoms
- Ions form by gaining or losing electrons to achieve a full octet
- Ions are positively charged if the atom loses electrons and negatively charged if the atom gains electrons
- Polyatomic ions are listed in Table E and are ions that are made up of two or more elements
- Ionic bonds form between metals and nonmetals
- An ionic bond require the transfer of electrons octet
- Covalent bonding is the sharing of electrons between two non-metals so that each atom fulfills the octet rule
- Lewis electron dot diagrams can be used to show the bonding of atoms in a covalently bonded molecule
- 1. What is the difference between cations and anions?
- 2. How do you know if you have a polyatomic ion?
- 3. What are the three types of chemical bonds?
- 4. Explain, in terms of electrons, how ionic bonds are different from covalent bonds?

- 5. Which statement best describes electrons?
  - (1) They are positive subatomic particles and are found in the nucleus.
  - (2) They are positive subatomic particles and are found surrounding the nucleus.
  - (3) They are negative subatomic particles and are found in the nucleus
  - (4) They are negative subatomic particles and are found surrounding the nucleus.
- 6. Which Group of the Periodic Table contains atoms with a stable outer electron configuration?
  - (1) 1
- (3)8
- (2) 16
- (4)18
- 7. An atom of carbon-12 and an atom of carbon-14 differ in
  - (1) atomic number
  - (2) mass number
  - (3) nuclear charge
  - (4) number of electrons
- 8. Which formulas represent two polar molecules?
  - (1) CO<sub>2</sub> and HCl
  - (2) CO<sub>2</sub> and CH<sub>4</sub>
  - (3) H<sub>2</sub>O and HCl
  - (4) H<sub>2</sub>O and CH<sub>4</sub>
- 9. When sodium and fluorine combine to produce the compound NaF, the ions formed have the same electron configuration as atoms of
  - (1) argon, only
  - (2) neon, only
  - (3) both argon and neon
  - (4) neither argon nor neon
- 10. Which formula represents a nonpolar molecule?
  - (1) H<sub>2</sub>S
  - (2) HCl
  - (3) CH<sub>4</sub>
  - (4) NH<sub>3</sub>
- 11. What occurs when an atom loses an electron?
  - (1) The atom's radius decreases and the atom becomes a negative ion.
  - (2) The atom's radius decreases and the atom becomes a positive ion.
  - (3) The atom's radius increases and the atom becomes a negative ion.
  - (4) The atom's radius increases and the atom becomes a positive ion.

12. Which Lewis electron-dot diagram is correct for  $S^{2-}$  ion?



(1)

(3)

$$[s]^{2^{-}}$$
  $[s:]^{2^{-}}$ 

(2)

(4)

- 13. Which formula represents an ionic compound?
  - (1) H<sub>2</sub>
  - (2) CH<sub>4</sub>
  - (3) CH<sub>3</sub>OH
  - (4) NH<sub>4</sub>Cl
- 14. An ion of which element has a larger radius than an atom of the same element?
  - (1) aluminum
  - (2) chlorine
  - (3) magnesium
  - (4) sodium
- 15. Given the formula of a substance:

What is the total number of shared electrons in a molecule of this substance?

- (1) 22
- (2) 11
- (3)9

- (4) 6
- 16. Which polyatomic ion contains the greatest number of oxygen atoms?
  - (1) acetate
  - (2) carbonate
  - (3) hydroxide
  - (4) peroxide
- 17. Which isotopic notation represents an atom of carbon-14?
  - $(1) {}^{6}_{8}C$

 $(3)_{14}^{6}C$ 

 $(2) {}_{6}^{8}C$ 

- $(4)_{6}^{14}C$
- 18. Which compound has hydrogen bonding between its molecules?
  - (1) CH<sub>4</sub>
  - (2) CaH<sub>2</sub>
  - (3) KH
  - (4) NH<sub>3</sub>
- 19. Which symbol represents a particle with a total of 10 electrons?
  - (1) N
  - (2)  $N^{3+}$
  - (3) Al
  - (4) Al3+
- 20. Draw a Lewis electron-dot diagram of Cl2.
- 21. Draw a Lewis electron-dot diagram of phosphorous trichloride, PCl<sub>3</sub>.
- 22. Explain, in terms of electronegativity, why a P-Cl bond in a molecule of  $PCl_5$  is more polar than a P-S bond in a molecule of  $P_2S_5$ .
- 23. Explain, in terms of molecular structure or distribution of charge, why methane is nonpolar.

		_	WIND AND
Na	me:	Date: nions or Cations	HURBAN HASSEMBLY SCHOOL FOR CRIMINAL
	Station Review – Midterm Janua		JUSTICE •
OT		<u>1 y 2014</u>	
	ATION 11: Naming	_	
Ke	<ul> <li>Y Points:</li> <li>The criss-cross rule determines the molecular formula of an ionic salt</li> <li>The cation is always named first by the name of the element</li> <li>The anion is named second by dropping the ending of the element of the element and replacing it with –ide</li> <li>Lewis electron dot diagrams can be used to</li> </ul>	the criss-cross rule?	e of bonding do you use
	<ul> <li>show the bonding of atoms in a covalently bonded molecule</li> <li>Numerical prefixes must be used to indicate the number of atoms of each element present</li> </ul>		meral (ex: Iron (III) name is used when the netal?
4.	Write the chemical formula for Lithium oxide.		
5.	What is the name of CO <sub>2</sub> ?		
6.	What is the chemical formula for iron (III) oxide? (1) FeO (3)Fe <sub>2</sub> O <sub>3</sub> (2) Fe <sub>3</sub> O (4) Fe <sub>3</sub> O <sub>2</sub>		
7.	Magnesium nitrate contains chemical bonds that a (1) covalent, only (2) ionic, only (3) both covalent and ionic (4) neither covalent nor ionic	are	
8.	Which type of bond is found in sodium bromide? (1) covalent (2) hydrogen (3) ionic (4) metal		
9.	Element X reacts with iron to form two different c which group on the Periodic Table does element X (1) Group 8 (2) Group 2 (3) Group 13 (4) Group 16		nulas FeX and Fe <sub>2</sub> X <sub>3</sub> . To
10.	What is the total number of different elements pre (1) 7 (2) 9 (3) 3 (4) 4	esent in NH <sub>4</sub> NO <sub>3</sub> ?	

<ul> <li>11. What is the chemical formula for sodium sulfate?</li> <li>(1) Na<sub>2</sub>SO<sub>3</sub></li> <li>(2) Na<sub>2</sub>SO<sub>4</sub></li> <li>(3) NaSO<sub>3</sub></li> <li>(4) NaSO<sub>4</sub></li> </ul>
<ul> <li>12. Which formula represents a hydronium ion?</li> <li>(1) H<sub>3</sub>O<sup>+</sup></li> <li>(2) NH<sub>4</sub><sup>+</sup></li> <li>(3) OH<sup>-</sup></li> <li>(4) HCO<sub>3</sub><sup>-</sup></li> </ul>
<ul> <li>13. Which group on the Periodic Table of the Elements contains elements that react with oxygen to form compounds with the general formula X<sub>2</sub>O?</li> <li>(1) Group 1</li> <li>(2) Group 2</li> <li>(3) Group 14</li> <li>(4) Group 18</li> </ul>
14. Write the IUPAC name for Fe <sub>2</sub> O <sub>3</sub> .
15. Write the IUPAC name for Na <sub>2</sub> CO <sub>3</sub> .
<ul> <li>16. What is the correct IUPAC name for the compound NH4Cl?</li> <li>(1) nitrogen chloride</li> <li>(2) nitrogen chlorate</li> <li>(3) ammonium chloride</li> <li>(4) ammonium chlorate</li> </ul>
A scientist in a chemistry laboratory determined the molecular formulas for two compounds containing nitrogen and oxygen to be NO2 and N2O5
17. Write an IUPAC name for the compound N2O5.
18. What is the IUPAC name for the compound FeS?  (1) iron(II) sulfate (2) iron(III) sulfate (3) iron(II) sulfide (4) Iron(III) sulfide
<ul> <li>19. A compound is made up of iron and oxygen, only. The ratio of iron ions to oxide ions is 2:3 in this compound. The IUPAC name for this compound is</li> <li>(1) triiron dioxide</li> <li>(2) iron(II) oxide</li> <li>(3) iron(III) oxide</li> <li>(4) iron trioxide</li> </ul>
<ul> <li>(4) iron trioxide</li> <li>20. Which formula represents lead (II) chromate?</li> <li>(1) PbCrO<sub>4</sub></li> <li>(2) Pb(CrO<sub>4</sub>)<sub>2</sub></li> <li>(3) Pb<sub>2</sub>CrO<sub>4</sub></li> <li>(4) Pb<sub>2</sub>(CrO<sub>4</sub>)<sub>3</sub></li> </ul>

Name:		Date:	HURBAN HASSEMBLY
<b>Chemistry</b> ~ Ms. Hart	Class:	Anions or Cations	SCHOOL FOR CRIMINAL IUSTICE

STATION 12: Grams Formula Mass/Percent Composition/Empirical and Molecular Formula

## **Key Points:**

- The two kinds of chemical formulas: empirical formulas and molecular formulas
- Empirical formula is the simplest wholenumber ratio of atoms of the elements in a compound
- The molecular formula is the actual ratio of atoms of the elements that combine to form a compound
- Gram formula mass is the calculated mass of a compound per 1 mole of that compound
- The molecular formula is found by dividing the gram formula mass of the unknown by the gram formula mass of the given empirical formula to produce an integer value
- The integer value will be the number we multiply the subscripts of the empirical formula by to obtain the molecular formula
- The percent composition tells us what percent of a compound is made up of a certain element based on its mass
- Percent composition is calculated by finding the gram-formula mass of an element and then dividing it by the gram formula mass of the compound

#### **Questions:**

- 1. What is the difference between molecular and empirical formula?
- 2. How do you calculate for the gramformula mass of a compound?
- 3. How do you solve for the percent composition of an element in a compound?
- 4. How do you find the molecular formula from the empirical formula and the molecular mass?

- 5. What is the gram-formula mass of  $Ca_3(PO_4)_2$ ?
  - (1) 248 g/mol
  - (2) 263 g/mol
  - (3) 279 g/mol
  - (4) 310 g/mol
- 6. Which is an empirical formula?
  - (1)  $P_2O_5$
  - (2)  $P_4O_6$
  - (3)  $C_2H_4$
  - $(4) C_3H_6$
- 7. Which pair consists of a molecular formula and its corresponding empirical formula?
  - (1)  $C_2H_2$  and  $CH_3CH_3$
  - (2)  $C_6H_6$  and  $C_2H_2$
  - (3)  $P_4O_{10}$  and  $P_2O_5$
  - (4)  $SO_2$  and  $SO_3$

- 8. What is the percent composition by mass of aluminum in  $Al_2(SO_4)_3$  (gram formula mass = 342 grams/mole)?
  - (1) 7.89%
  - (2) 15.8 %
  - (3) 20.8%
  - (4) 36.0 %
- 9. A compound has a molar mass of 90. grams per mole and the empirical formula CH<sub>2</sub>O. What is the molecular formula of this compound?
  - (1) CH<sub>2</sub>O
  - (2)  $C_2H_4O_2$
  - (3)  $C_3H_6O_3$
  - $(4) C_4 H_8 O_4$

10. What is the total number of moles in 80.0 grams of $C_2H_5Cl$ (gram-formula mass= 64.5 grams/mole)?
11. The molar mass of Ba(OH)2 is (1) 154.3 g (2) 155.3 g (3) 171.3 g (4) 308.6 g
12. The gram formula mass of NH4Cl is (1) 22.4 g/mole (2) 28.0 g/mole (3) 53.5 g/mole (4) 95.5 g/mole
13. What is the gram formula mass of Ca3(PO4)2? (1) 196 g (2) 214 g (3) 245 g (4) 310. g
14. What is the gram formula mass of Li2SO4?  (1) 54 g (2) 55 g (3) 110 g (4) 206 g
15. What is the gram formula mass of CuSO4 • 5H2O?  (1) 160. g  (2) 178 g  (3) 186 g  (4) 250. g
<ul> <li>16. A substance has an empirical formula of CH2 and a molar mass of 56 grams per mole. The molecular formula for this compound is</li> <li>(1) CH2</li> <li>(2) C4H6</li> <li>(3) C4H8</li> <li>(4) C8H4</li> </ul>
<ul> <li>17. The empirical formula of a compound is CH3. The molecular formula of this compound could be</li> <li>(1) CH4</li> <li>(2) C2H4</li> <li>(3) C2H6</li> <li>(4) C3H6</li> </ul>
<ul> <li>18. Which compound has the highest precent composition by mass of strontium?</li> <li>(1) SrCl2</li> <li>(2) SrI2</li> <li>(3) SrO</li> <li>(4) SrS</li> </ul>
19. What is the percent composition by mass of sulfur in the compound MgSO4 (gram-formula mass = 120. grams per mole)? (1) 20% (2) 27% (3) 46% (4) 53%